

**Lingfield Education Trust**

# Calculation Guidance



# Contents

- p3 Background, Purpose & Aims
- p4 Concrete, Pictorial, Abstract
- p5 Mathematical Manipulatives
- P6 Models & Structures
- p7 The Language of Calculation
- p8 Factual Knowledge
- p9 Mental Calculation Expectations
- p11 Addition
- p22 Subtraction
- p33 Multiplication
- p41 Division
- p50 Calculations With Fractions

- This contents list is hyperlinked for ease of access
- The orange dots or Lingfield logo on each page are then hyperlinked back to this contents page



# Background, Purpose and Aims

Mathematics has learning episodes that can be taught in multiple different ways, using multiple different representations and methods; **this can cause significant confusion and cognitive overload for some students, especially lower attaining students.**

The purpose of this document is to provide teachers and staff, who support students in mathematics lessons at Lingfield Education Trust, with an easy-reference guide to the methods that could be employed in the teaching of mathematics.

## The key principles underpinning this guidance are:

- The importance of mental calculation methods, that are themselves built on secure factual knowledge.
- Giving pupils in each year group a reliable method for calculating that they can apply to varied representations, reasoning and problem-solving. Although there is minimal reference to bar modelling and part-part-whole models in the document, pupils should still be exposed to them regularly through your maths curriculum – this document is for the strategies you would use to complete the missing numbers in both of the aforementioned models.
- Reducing the amount of variation pupils are exposed to in the initial learning phase of calculating in a given year group. Variation is essential to a deep understanding, however we understand that a firm foundation is needed first.
- The importance of the concrete, pictorial and abstract phases of learning.
- Using the right manipulative at the right time – if it is needed.
- Building on prior learning through the careful sequencing of strategies.

The aim of this guidance is to allow staff to synchronise their practise, to ensure students encounter the same methods throughout their mathematical journey, regardless of their teacher. The aim is that this will provide consistency for students in the long-term and therefore aid in improving their outcomes.

This document was created by members of Lingfield Education Trust's Maths Network based on their teaching expertise, the most up-to-date research and through the study of effective exemplars.

# Concrete, Pictorial and Abstract

Throughout this document each approach is split into three stages: concrete, pictorial and abstract. The idea is through a systematic approach students will begin, where possible, to explore mathematics by using physical manipulatives so that at the end of the process students should be able to form their own generalisations of mathematical rules.

Concrete	During the concrete stage, pupils will have the opportunity to work with manipulatives and other physical objects in order to understand the mathematical concept. There will be times where this is not possible or effective; in these cases students should begin at pictorial stage.
Pictorial	During the pictorial stage, pupils should be able to pictorially or diagrammatically represent ideas discovered during the Physical Stage. Again there may be occasions where this is not effective and so pupils should start at the abstract stage.
Abstract	During the abstract stage, pupils should no longer require a diagram to understand the concept. They should have formed comprehensive generalisations during which the underlying mathematics is fully understood.



# Mathematical Manipulatives

In order for our children to fully understand the structures within calculation, we use a set of key maths manipulatives to **expose** the maths.

We expect all of our children to progress to **doing** the maths **without** these resources, when secure.

There is a clear rationale for when each manipulative is introduced:


- **Numicon:** this resource helps early years children see numbers inside other numbers and begin to develop fact fluency.
- **Five/Ten Frames for calculations to 20:** this resource helps expose the concept of 10 and how to bridge it.
- **Base 10 for calculations to 100:** this resources helps to expose the concepts of regrouping and exchanging; it is also less cumbersome than having multiple tens frames on every desk.
- **Place Value Counters for calculations beyond 100:** as Base 10 can be expensive and space-taking for every child to have equipment, we switch to place value counters at this point.



# Models & Structures

This document aims to outline the main calculation strategies to be used progressively across school. There are however a range of models and representations that help pupils draw out the structure of the maths behind a task/question – in other words help pupils identify the operation and arithmetic required. This page details some of the most effective that you should use to help pupils expose the structure of the maths before they apply a mental or written strategy to complete the calculation(s).

## Part-Part-Whole Model




This part-whole model supports children in their understanding of aggregation and partitioning. Due to its shape, it can be referred to as a cherry part-whole model.

When the parts are complete and the whole is empty, children use aggregation to add the parts together to find the total.

When the whole is complete and at least one of the parts is empty, children use partitioning (a form of subtraction) to find the missing part. Part-whole models can be used to partition a number into two or more parts, or to help children to partition a number into tens and ones or other place value columns.

In KS2, children can apply their understanding of the part-whole model to add and subtract fractions, decimals and percentages.

## Bar Model (Single)




The single bar model is another type of a part-whole model that can support children in representing calculations to help them unpick the structure. Cubes and counters can be used in a line as a concrete representation of the bar model. Discrete bar models are a good starting point with smaller numbers. Each box represents one whole.

The combination bar model can support children to calculate by counting on from the larger number. It is a good stepping stone towards the continuous bar model. Continuous bar models are useful for a range of values. Each rectangle represents a number. The question mark indicates the value to be found.


In KS2, children can use bar models to represent larger numbers, decimals and fractions.

## Bar Model (Multiple)

### Discrete



### Continuous



The multiple bar model is a good way to compare quantities whilst still unpicking the structure. Two or more bars can be drawn, with a bracket labelling the whole positioned on the right hand side of the bars. Smaller numbers can be represented with a discrete bar model whilst continuous bar models are more effective for larger numbers.

Multiple bar models can also be used to represent the difference in subtraction. An arrow can be used to model the difference.


When working with smaller numbers, children can use cubes and a discrete model to find the difference. This supports children to see how counting on can help when finding the difference.

# The Language of Calculation

Mathematics is a language, and just like any other language, it is important for students to have a strong vocabulary in order to be successful. As a trust we encourage the teaching, practice and application of precise mathematical vocabulary for several reasons:

- Allows children to reason about maths accurately
- Provides equity with other pupils who know such vocabulary
- Builds whole school consistency to lower cognitive load (if one teacher uses one word and another a different one 'brain power' is diverted from the actual maths at hand).
- In the case of calculation, knowing the correct terminology often allows children to work out whether the whole is needed (the answer) or one of the parts (missing number).

The images below show the key vocabulary to be taught alongside the calculations in this guidance document.



$$\text{addend} + \text{addend} = \text{sum}$$

$$\text{minuend} - \text{subtrahend} = \text{difference}$$

$$\text{multiplier} \times \text{multiplicand} = \text{product}$$

$$\text{dividend} \div \text{divisor} = \text{quotient}$$

# Factual Knowledge

The written calculation strategies contained in this document are built up on the mental calculation strategies outlined on the next page, however these themselves are built on secure factual knowledge (fact fluency). These are the key milestones in what **factual knowledge** pupils should know to automaticity and by when. This does not just mean rote learning but using strategies to develop understanding through to automaticity. Programs to use for this are one of: Number Sense, NCETM Mastering Number or WR Fluency Bee.

## EYFS

Have a deep understanding of number to 10; including the composition of each number.

Subitise to 5.

**Automatically recall (without reference to rhymes or other aides) number bonds to 5 (including subtraction facts) and some to 10 including doubles.**

## Year 1

All addition and subtraction facts to 20 that do not bridge 10. They will be exposed to bridging 10 but automaticity is not required.

+	0	1	2	3	4	5	6	7	8	9	10
0	0+0	0+1	0+2	0+3	0+4	0+5	0+6	0+7	0+8	0+9	0+10
1	1+0	1+1	1+2	1+3	1+4	1+5	1+6	1+7	1+8	1+9	1+10
2	2+0	2+1	2+2	2+3	2+4	2+5	2+6	2+7	2+8	2+9	2+10
3	3+0	3+1	3+2	3+3	3+4	3+5	3+6	3+7	3+8	3+9	3+10
4	4+0	4+1	4+2	4+3	4+4	4+5	4+6	4+7	4+8	4+9	4+10
5	5+0	5+1	5+2	5+3	5+4	5+5	5+6	5+7	5+8	5+9	5+10
6	6+0	6+1	6+2	6+3	6+4	6+5	6+6	6+7	6+8	6+9	6+10
7	7+0	7+1	7+2	7+3	7+4	7+5	7+6	7+7	7+8	7+9	7+10
8	8+0	8+1	8+2	8+3	8+4	8+5	8+6	8+7	8+8	8+9	8+10
9	9+0	9+1	9+2	9+3	9+4	9+5	9+6	9+7	9+8	9+9	9+10
10	10+0	10+1	10+2	10+3	10+4	10+5	10+6	10+7	10+8	10+9	10+10

-	0	1	2	3	4	5	6	7	8	9	10
0	0-0										
1	1-0	1-1									
2	2-0	2-1	2-2								
3	3-0	3-1	3-2	3-3							
4	4-0	4-1	4-2	4-3	4-4						
5	5-0	5-1	5-2	5-3	5-4	5-5					
6	6-0	6-1	6-2	6-3	6-4	6-5	6-6				
7	7-0	7-1	7-2	7-3	7-4	7-5	7-6	7-7			
8	8-0	8-1	8-2	8-3	8-4	8-5	8-6	8-7	8-8		
9	9-0	9-1	9-2	9-3	9-4	9-5	9-6	9-7	9-8	9-9	
10	10-0	10-1	10-2	10-3	10-4	10-5	10-6	10-7	10-8	10-9	10-10
11		11-1	11-2	11-3	11-4	11-5	11-6	11-7	11-8	11-9	11-10
12			12-2	12-3	12-4	12-5	12-6	12-7	12-8	12-9	12-10
13				13-3	13-4	13-5	13-6	13-7	13-8	13-9	13-10
14					14-4	14-5	14-6	14-7	14-8	14-9	14-10
15						15-5	15-6	15-7	15-8	15-9	15-10
16							16-6	16-7	16-8	16-9	16-10
17								17-7	17-8	17-9	17-10
18									18-8	18-9	18-10
19										19-9	19-10
20											20-10

## Year 2

All addition and subtraction facts to 20 including those that bridge 10.

+	0	1	2	3	4	5	6	7	8	9	10
0	0+0	0+1	0+2	0+3	0+4	0+5	0+6	0+7	0+8	0+9	0+10
1	1+0	1+1	1+2	1+3	1+4	1+5	1+6	1+7	1+8	1+9	1+10
2	2+0	2+1	2+2	2+3	2+4	2+5	2+6	2+7	2+8	2+9	2+10
3	3+0	3+1	3+2	3+3	3+4	3+5	3+6	3+7	3+8	3+9	3+10
4	4+0	4+1	4+2	4+3	4+4	4+5	4+6	4+7	4+8	4+9	4+10
5	5+0	5+1	5+2	5+3	5+4	5+5	5+6	5+7	5+8	5+9	5+10
6	6+0	6+1	6+2	6+3	6+4	6+5	6+6	6+7	6+8	6+9	6+10
7	7+0	7+1	7+2	7+3	7+4	7+5	7+6	7+7	7+8	7+9	7+10
8	8+0	8+1	8+2	8+3	8+4	8+5	8+6	8+7	8+8	8+9	8+10
9	9+0	9+1	9+2	9+3	9+4	9+5	9+6	9+7	9+8	9+9	9+10
10	10+0	10+1	10+2	10+3	10+4	10+5	10+6	10+7	10+8	10+9	10+10

-	0	1	2	3	4	5	6	7	8	9	10
0	0-0										
1	1-0	1-1									
2	2-0	2-1	2-2								
3	3-0	3-1	3-2	3-3							
4	4-0	4-1	4-2	4-3	4-4						
5	5-0	5-1	5-2	5-3	5-4	5-5					
6	6-0	6-1	6-2	6-3	6-4	6-5	6-6				
7	7-0	7-1	7-2	7-3	7-4	7-5	7-6	7-7			
8	8-0	8-1	8-2	8-3	8-4	8-5	8-6	8-7	8-8		
9	9-0	9-1	9-2	9-3	9-4	9-5	9-6	9-7	9-8	9-9	
10	10-0	10-1	10-2	10-3	10-4	10-5	10-6	10-7	10-8	10-9	10-10
11		11-1	11-2	11-3	11-4	11-5	11-6	11-7	11-8	11-9	11-10
12			12-2	12-3	12-4	12-5	12-6	12-7	12-8	12-9	12-10
13				13-3	13-4	13-5	13-6	13-7	13-8	13-9	13-10
14					14-4	14-5	14-6	14-7	14-8	14-9	14-10
15						15-5	15-6	15-7	15-8	15-9	15-10
16							16-6	16-7	16-8	16-9	16-10
17								17-7	17-8	17-9	17-10
18									18-8	18-9	18-10
19										19-9	19-10
20											20-10

## Year 4

All multiplication and division facts to 12 x 12.

x	1	2	3	4	5	6	7	8	9	10	11	12
1	1	2	3	4	5	6	7	8	9	10	11	12
2	2	4	6	8	10	12	14	16	18	20	22	24
3	3	6	9	12	15	18	21	24	27	30	33	36
4	4	8	12	16	20	24	28	32	36	40	44	48
5	5	10	15	20	25	30	35	40	45	50	55	60
6	6	12	18	24	30	36	42	48	54	60	66	72
7	7	14	21	28	35	42	49	56	63	70	77	84
8	8	16	24	32	40	48	56	64	72	80	88	96
9	9	18	27	36	45	54	63	72	81	90	99	108
10	10	20	30	40	50	60	70	80	90	100	110	120
11	11	22	33	44	55	66	77	88	99	110	121	132
12	12	24	36	48	60	72	84	96	108	120	132	144



# Mental Calculation Expectations

	Addition	Subtraction	Multiplication	Division
YR	<ul style="list-style-type: none"> <li>Perceptually subitise to 10</li> <li>Conceptually subitise to 5</li> <li>Find the total number of items in two groups, up to a total of 10 (combine and subitise, count all (aggregation), use known facts)</li> <li>1 more to 10</li> <li>Add zero, within numbers to 10</li> </ul>	<ul style="list-style-type: none"> <li>1 less to 10</li> <li>Remove from a small group and find how many are left, up to a total of 10 (take away and subitise, take away and count how many are left, use known facts)</li> <li>Subtract zero to 10</li> </ul>	<ul style="list-style-type: none"> <li>Doubles to 5</li> </ul>	
Year 1	<ul style="list-style-type: none"> <li>Subitising 1-5</li> <li>Recognizing numbers on tens frames</li> <li>Add 1-digit to tens</li> <li>Add 1-digit to teens</li> <li>Number Bonds to 10</li> <li>Bridging 10 single digits</li> <li>Near doubles to 5, e.g. 3+2</li> </ul>	<ul style="list-style-type: none"> <li>Subtract pairs of 1-digit numbers</li> <li>Subtraction facts to 10</li> <li>Bridging 10 by single digit subtraction</li> <li>Subtract 1-digit from teens</li> <li>Subtract 1-digit from ten</li> </ul>	<ul style="list-style-type: none"> <li>Double numbers to 5</li> <li>Count forwards and backwards in 2s, 5s and 10s</li> </ul>	<ul style="list-style-type: none"> <li>Halve even numbers to 10</li> </ul>
Year 2	<ul style="list-style-type: none"> <li>Bridging 10 (TU + U)</li> <li>1-digit to a multiple of ten (e.g. 60 + 5)</li> <li>Add multiples of 10 to a 2-digit number (e.g. 27 + 60)</li> <li>Add three 1-digit numbers</li> <li>Number Bonds to 20</li> <li>Number Bonds to 100 in 10s</li> <li>Add 10 to 2-digit numbers using place value</li> <li>Add 11 by adding 10 add 1</li> <li>Add 9 by add 10 take 1</li> <li>Near doubles to 10, e.g. 6+5</li> </ul>	<ul style="list-style-type: none"> <li>Subtract 10 from a 2-digit number using place value</li> <li>Bridging any 2-digit 10 by single digit subtraction</li> <li>Subtract 1-digit from multiple of 10</li> <li>Subtraction facts to 20</li> <li>Subtraction facts to 100 in 10s</li> <li>Subtract 11 by subtracting 10 then 1</li> <li>Subtract 9 by subtracting 10 and adding 1</li> </ul>	<ul style="list-style-type: none"> <li>Double numbers to 10</li> <li>Double any multiple of 10 up to 50</li> <li>Recognize odd and even</li> <li>Rapid recall of x2,10,5 as a minimum</li> </ul>	<ul style="list-style-type: none"> <li>Halve even numbers to 20</li> <li>Halve any multiple of 10 with an even tens digit up to 100</li> <li>Rapid recall of division facts for x2,10,5 as a minimum</li> </ul>
Year 3	<ul style="list-style-type: none"> <li>Add 100 to any 3-digit number using place value</li> <li>Bridging to 3-digit</li> <li>Add pairs of multiples of 10 up to 2-digit using bonds</li> <li>2-digit Near Doubles (teens and tens, e.g. 14 + 13, 30 + 20)</li> <li>2-digit near 10s round up (e.g. 27 + 19/21)</li> <li>Add any 2-digit numbers using partitioning</li> <li>Add any 2-digit numbers using counting on</li> </ul>	<ul style="list-style-type: none"> <li>Subtract 100 from any 3-digit number using place value</li> <li>Bridging HTU by U subtraction</li> <li>Subtract a 2-digit number from a multiple of 10</li> <li>Subtract pairs of multiples of 10 up to 2-digit using bonds</li> <li>Subtract near multiples of 10 rounding up</li> <li>Subtract pairs of 2-digit using partitioning</li> <li>Subtract pairs of 2-digit using counting on</li> </ul>	<ul style="list-style-type: none"> <li>Double any multiple of 10 up to 100</li> <li>Find 4 of a number by doubling and doubling again</li> <li>Rapid recall of x3, 4,8 as a minimum</li> <li>Multiply any 2-digit number by 10</li> <li>Multiply TU x U using partitioning</li> <li>Use place value and known facts to TU x U, e.g. 80 x 3</li> </ul>	<ul style="list-style-type: none"> <li>Halve any multiple of 10 up to 100</li> <li>Find a quarter by halving and halving again</li> <li>Rapid recall of division facts for x3,4,8 as a minimum</li> <li>Identify the remainder when dividing TU by 2,10,5</li> <li>Divide any 3-digit multiple of 10 by 10</li> <li>Use place value and known facts to HTU ÷ U, e.g. 400 ÷ 8</li> </ul>

Experience has shown us that longer, more complex written methods often go wrong through the **mental calculations** within them.

It is essential that pupils are taught these mental calculation skills.

Once pupils have mastered the relevant mental and written methods for their year group, it is advisable for them to **reason about which method suits a given calculation – what was the most efficient way of doing it!**

Please see our mental calculation policy for further detail to support these expectations.

# Mental Calculation Expectations

Year 4	Year 5	Year 6	
<ul style="list-style-type: none"> <li>Add 1000 to any 4-digit number using place value</li> <li>Bridging up to 4-digit</li> <li>Add pairs of multiples of 10 up to 3-digit using bonds</li> <li>2-digit Near Doubles to 50, e.g. <math>36 + 37</math></li> <li>2-digit near 10s round up &amp; down (e.g. <math>27 + 19/21</math>)</li> <li>Add any 3-digit numbers using partitioning</li> <li>Add any 3-digit numbers using counting on</li> </ul>	<ul style="list-style-type: none"> <li>Subtract 1000 from any 4-digit number using place value</li> <li>Bridging THTU by U subtraction</li> <li>Subtract pairs of multiples of 10 up to 3-digit using bonds</li> <li>Subtract near multiples of 10 rounding up and down</li> <li>Subtract any 3-digit numbers using partitioning</li> <li>Subtract any 3-digit numbers using counting on</li> </ul>	<ul style="list-style-type: none"> <li>Double any 2-digit number</li> <li>Double any multiple of 100</li> <li>Rapid recall of all tables to <math>12 \times 12</math></li> <li>Multiply three 1-digit numbers</li> <li>Multiply any number to 100 by 10/100</li> <li>Multiply HTU <math>\times</math> U using partitioning</li> <li>Use place value and known facts to HTU <math>\times</math> U, e.g. <math>400 \times 3</math></li> </ul>	<ul style="list-style-type: none"> <li>Halve any even number to 100</li> <li>Rapid recall of all division facts for tables to <math>12 \times 12</math></li> <li>Identify the remainder when dividing HTU by 2,10,5</li> <li>Divide any number to 1000 by 10/100</li> <li>Use place value and known facts to THTU <math>\div</math> U, e.g. <math>1200 \div 3</math></li> </ul>
<ul style="list-style-type: none"> <li>Use place value to add powers of 10 to 1,000,000</li> <li>Bridging (U.t + .t)</li> <li>2-digit Near Doubles to 100, e.g. <math>76 + 77</math></li> <li>Add near hundreds (e.g. <math>427 + 198</math>)</li> <li>Add any U.t pairs (e.g. <math>3.5 + 2.8</math>) using partitioning</li> <li>Add any U.t pairs (e.g. <math>3.5 + 2.8</math>) using counting on</li> <li>Add pairs of multiples of U.t by making <math>\times 10</math> larger</li> </ul>	<ul style="list-style-type: none"> <li>Use place value to subtract powers of 10 up to 1,000,000</li> <li>Bridging U.t by U subtraction</li> <li>Subtract near hundreds (e.g. <math>427 - 198</math>)</li> <li>subtract any U.t pairs (e.g. <math>3.5 - 2.2</math>) using partitioning</li> <li>subtract any U.t pairs (e.g. <math>3.5 - 2.7</math>) using counting on</li> <li>Subtract pairs of multiples of U.t by making <math>\times 10</math> larger</li> </ul>	<ul style="list-style-type: none"> <li>Double 3-digit multiples of 10</li> <li>Double U.t</li> <li>Multiply whole numbers by 10,100,1000</li> <li>Multiply U.t using partitioning</li> <li>Use place value and known facts to THTU <math>\times</math> U, e.g. <math>8000 \times 3</math></li> <li>Multiply pairs of multiples of 10 with same place value, e.g. <math>400 \times 300</math></li> <li>Multiply by 50 by multiplying by 100 and halving</li> <li>Multiply by 25 by multiplying by 100 and halving and halving again</li> <li>Multiply by 20 by multiplying by 10 and doubling</li> <li>Multiply by 5 by multiplying by 10 and halving</li> </ul>	<ul style="list-style-type: none"> <li>Halve 3-digit multiples of 10</li> <li>Halve any whole number</li> <li>Find the remainder when dividing TU by any single digit</li> <li>Divide whole numbers by 10,100,1000</li> <li>Use place value and known facts to THTU <math>\div</math> U, e.g. <math>64000 \div 8</math></li> <li>Multiply pairs of multiples of 10 with same place value, e.g. <math>800 + 200</math></li> </ul>
<ul style="list-style-type: none"> <li>Use place value to add powers of 10 to any number</li> <li>Bridging (U.th + .th)</li> <li>Near doubles to tenths (e.g. <math>1.7 + 1.6</math>)</li> <li>Near tens to tenths (e.g. <math>4.2 + 1.9</math>)</li> <li>Add any U.th pairs (e.g. <math>3.52 + 2.87</math>) using partitioning</li> <li>Add any U.th pairs (e.g. <math>3.52 + 2.87</math>) counting on</li> </ul>	<ul style="list-style-type: none"> <li>Use place value to subtract powers of 10 from any number</li> <li>Subtract using near tens to tenths, e.g. <math>4.6 - 1.9</math></li> <li>Subtract any U.th pairs (e.g. <math>3.52 - 2.31</math>) using partitioning</li> <li>Subtract any U.th pairs (e.g. <math>3.52 - 2.31</math>) using counting on</li> </ul>	<ul style="list-style-type: none"> <li>Double any number including to 2dp</li> <li>Multiply whole numbers and decimals by 10,100,1000</li> <li>Multiply U.th <math>\times</math> U using partitioning</li> <li>Use place value and known facts for decimals, e.g. <math>0.3 \times 4</math></li> <li>Multiply pairs of multiples of 10 with differing place value, e.g. <math>4000 \times 30</math></li> </ul>	<ul style="list-style-type: none"> <li>Halve any number including 2dp</li> <li>Divide whole numbers and decimals by 10,100,1000</li> <li>Use place value and known facts for decimals, e.g. <math>3.2 \div 8</math></li> <li>Divide pairs of multiples of 10 with differing place value, e.g. <math>8000 + 200</math></li> <li>Divide by 50 by dividing by 100 and doubling</li> <li>Divide by 25 by dividing by 100 and doubling and doubling again</li> <li>Divide by 20 by dividing by 10 and halving</li> <li>Divide by 5 by dividing by 10 and doubling</li> </ul>

Experience has shown us that longer, more complex written methods often go wrong through the **mental calculations** within them.

It is essential that pupils are taught these mental calculation skills.

Once pupils have mastered the relevant mental and written methods for their year group, it is advisable for them to **reason about which method suits a given calculation – what was the most efficient way of doing it!**

Please see our mental calculation policy for further detail to support these expectations.

# Addition






## Nursery

### Concrete

Pupils to use a range of practical resources to add numbers up to three. Ensure this includes numicon overlays for numbers within numbers.



### Pictorial

All addition work will fall within the concrete phase with practical resources at this age.

### Abstract

All addition work will fall within the concrete phase with practical resources at this age.

There is to be no reference to equations in EYFS – neither verbal or written.

## Reception

### Concrete



Pupils to use a range of practical resources to understand number composition to ten. Ensure this includes numicon overlays for numbers within numbers.

Pupils to use practical resources to understand parts & wholes and numbers inside other numbers for addition facts.

*Four and three are parts of seven.*




*Four is a part; three is a part; seven is the whole.*

*4 and 3 are numbers inside 7.*



### Pictorial

Children represent concrete resources & strategies pictorially.



### Abstract

All addition work will fall within the concrete and pictorial phases with practical resources at this age.

There is to be **no** reference to equations in EYFS – neither verbal or written.


## Year 1 (to and within 10)

## Concrete

Children use a range of concrete resources – **not** including graded number lines – to practice the following addition strategies for facts to and within 10.

- Adding zero / adding to zero

- 1 more



- 2 more




- Doubles



- Near doubles




- 7-Tree



- 9-Square



- Five-and-a-bit



## Pictorial

Children represent concrete resources & strategies pictorially.

## Abstract

Pupils to record their addition calculations as mathematical statements (number sentences) using the addition and subtraction symbols.

$$4 + 3 = 7$$




There is to be **no** use of graded number lines for addition.

## Year 1 (10 to 20)

## Concrete

Children use a range of concrete resources – **not** including graded number lines – to practice the following addition strategies for facts from 10 to 20 (no bridging 10).

- Ten and a bit



## Pictorial

Children represent concrete resources & strategies pictorially.

## Abstract

Pupils to record their addition calculations as mathematical statements (number sentences) using the subtraction symbol.

$$14 + 3 = 17$$

There is to be **no** use of graded number lines for addition.



## Year 2 (bridging 10)

## Concrete


Children use a range of concrete resources – **not** including graded number lines – to practice the following addition strategies for bridging ten.

- Make ten and then

$$9 + 8$$



$$9 + 1 = 10$$



$$10 + 7 = 17$$

So,  $9 + 8 = 17$

## Pictorial

Children represent concrete resources & strategies pictorially.

## Abstract

Pupils to use make ten and then in written form.

So,

$$9 + 7 = 9 + 1 + 6$$

$$= 16$$


There is to be **no** use of graded number lines for addition.



## Year 2

## Concrete


Pupils to use Base 10 to practically experience adding and regrouping. This must also be done with counters ready for Year 3.




## Pictorial

Pupils to draw Base 10 images, which again must move into using counters ready for Year 3.

$$47 + 32 = 79$$



$$47 + 35 = 82$$



## Abstract

Pupils to use expanded method with no regrouping before moving onto it.

$$47 + 32 = 79$$

$$\begin{array}{r} 40 + 7 \\ + 30 + 2 \\ \hline 70 + 9 = 79 \end{array}$$

$$47 + 35 = 82$$


$$\begin{array}{r} 40 + 7 \\ + 30 + 5 \\ \hline 70 + 12 = 82 \end{array}$$

## Year 3


## Concrete

Pupils to use counters (or **Base 10**) to practically experience adding.

$$313 + 132 = 445$$




$$387 + 135 = 522$$




## Pictorial

Pupils to draw counters without crossing out for regrouping.

$$313 + 132 = 445$$



$$387 + 135 = 522$$



## Abstract

Pupils to use expanded method with no regrouping before moving onto it.

$$\begin{array}{r} 300 + 10 + 3 \\ - 100 + 30 + 2 \\ \hline 400 \quad 40 + 5 = 445 \end{array}$$

$$\begin{array}{r} 300 + 80 + 7 \\ + 100 + 30 + 5 \\ \hline 400 + 110 + 12 = 522 \end{array}$$

Pupils to move onto trying compact, standard method ready for Year 4 when secure with the above. **CPA not need between the two abstract models**; ensure both abstract models are related to each other in teaching.


$$\begin{array}{r} 2 \ 3 \ 1 \\ + 3 \ 2 \ 2 \\ \hline 5 \ 5 \ 3 \end{array}$$

## Year 4


## Concrete

Pupils to use counters to practically experience adding.

$3231 + 1322 = 4553$




$5032 + 2584 = 7616$




## Pictorial

Pupils to draw counters crossing out for regrouping.

$3231 + 1322 = 4553$



$5032 + 2584 = 7616$



## Abstract

Use of column method to add up to two 4-digit numbers (begin without regrouping and progress to regrouping).

$$\begin{array}{r}
 3231 \\
 + 1322 \\
 \hline
 4553
 \end{array}$$

$$\begin{array}{r}
 5032 \\
 + 2584 \\
 \hline
 7616
 \end{array}$$

## Year 5

### Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Abstract

Use of column addition for numbers including millions before using for numbers with up to three decimal places.

$$3,495,032 + 642,584 =$$

$$\begin{array}{r}
 3 \ 4 \ 9 \ 5 \ 0 \ 3 \ 2 \\
 + \ 0 \ 6 \ 4 \ 2 \ 5 \ 8 \ 4 \\
 \hline
 4 \ 1 \ 3 \ 7 \ 6 \ 1 \ 6 \\
 \hline
 \end{array}$$

$$341.924 + 64.294 =$$

$$\begin{array}{r}
 3 \ 4 \ 1 \ . \ 9 \ 2 \ 4 \\
 + \ \ \ 6 \ 4 \ . \ 2 \ 9 \ 4 \\
 \hline
 4 \ 0 \ 6 \ . \ 2 \ 1 \ 8 \\
 \hline
 \end{array}$$



## Year 6

### Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Abstract

Use of column addition for numbers including millions before using for numbers with up to three decimal places.

$$3,495,032 + 642,584 =$$

$$\begin{array}{r}
 3 \ 4 \ 9 \ 5 \ 0 \ 3 \ 2 \\
 + \ 0 \ 6 \ 4 \ 2 \ 5 \ 8 \ 4 \\
 \hline
 4 \ 1 \ 3 \ 7 \ 6 \ 1 \ 6 \\
 \hline
 \end{array}$$

$$341.924 + 64.294 =$$

$$\begin{array}{r}
 3 \ 4 \ 1 \ . \ 9 \ 2 \ 4 \\
 + \ \ \ 6 \ 4 \ . \ 2 \ 9 \ 4 \\
 \hline
 4 \ 0 \ 6 \ . \ 2 \ 1 \ 8 \\
 \hline
 \end{array}$$

# Subtraction







## Nursery

### Concrete

Pupils to use a range of practical resources to subtract numbers up to three.



### Pictorial

All subtraction work will fall within the concrete phase with practical resources at this age.

### Abstract

All subtraction work will fall within the concrete phase with practical resources at this age.

There is to be no reference to equations in EYFS – neither verbal or written.

## Reception

### Concrete




Pupils to use a range of practical resources to understand number decomposition to ten. Ensure this includes numicon overlays for numbers within numbers.

Pupils to use practical resources to understand parts & wholes and numbers inside other numbers for subtraction facts.

*If I have seven and take away a three, four is left.*



*Seven is the whole; four is a part; three is a part.*

*7 can have a four and a three inside it.*



### Pictorial

Pupils use simple diagrams, including mark making on prepared ten frames to calculate subtraction statements (number sentences).



$$10 - 4 = 6$$

$$10 - 6 = 4$$

### Abstract

All subtraction work will fall within the concrete and pictorial phases with practical resources at this age.

There is to be **no** reference to equations in EYFS – neither verbal or written.




## Year 1 (to and within 10)

## Concrete

Children use a range of concrete resources – **not** including graded number lines – to practice the following subtraction strategies for facts to and within 10 and for those between 10 and 20.

- Subtracting zero

- 1 less




- 2 less





- Halves




- Near halves



- 7-Tree



- Five-and-a-bit



## Pictorial

Children represent concrete resources & strategies pictorially.

## Abstract

Pupils to record their subtraction calculations as mathematical statements (number sentences) using the subtraction symbol.

$$7 - 4 = 3$$




There is to be **no** use of graded number lines for subtraction.

## Year 1 (10 to 20)

## Concrete

Children use a range of concrete resources – **not** including graded number lines – to practice the following subtraction strategies for facts from 10 to 20 (no bridging 10).

- Ten and a bit
- A bit and ten



## Pictorial

Children represent concrete resources & strategies pictorially.

## Abstract

Pupils to record their subtraction calculations as mathematical statements (number sentences) using the subtraction symbol.

$$17 - 4 = 3$$

There is to be **no** use of graded number lines for subtraction.




## Year 2 (bridging 10)

## Concrete

Children use a range of concrete resources – **not** including graded number lines – to practice the following subtraction strategies for bridging ten.

- Make ten and then

$$13 - 5$$



## Pictorial

Children represent concrete resources & strategies pictorially.

## Abstract

Pupils to use make ten and then in written form.

$$14 - 6$$

So,

$$14 - 6 = 14 - 4 - 2$$

$$= 8$$

There is to be **no** use of graded number lines for addition.

## Year 2

## Concrete

Pupils to use Base 10 to practically experience subtracting and regrouping. This must also be done with counters ready for Year 3.

47 - 32 = 15	T	O
51 - 35 = 16	T	O

## Pictorial

Pupils to draw Base 10 images, which again must move into using counters ready for Year 3.

47 - 32 = 15	

## Abstract

Pupils to use expanded method with no regrouping before moving onto it.


47 - 32 = 15	$\begin{array}{r} 40 + 7 \\ - 30 + 2 \\ \hline 10 + 5 = 15 \end{array}$
	$\begin{array}{r} 40 \cancel{50} + 11 \cancel{1} \\ - 30 + 5 \\ \hline 10 + 6 = 16 \end{array}$

## Year 3


## Concrete

Pupils to use Base 10 or counters to practically experience subtracting.

$$347 - 135 = 212$$




$$347 - 155 = 192$$




## Pictorial

Pupils to draw Base 10 or counters with no regrouping before moving onto it via crossing out.

$$347 - 135 = 212$$



$$347 - 155 = 192$$



## Abstract

Pupils to use expanded method with no regrouping before moving onto it.

$$\begin{array}{r} 300 + 40 + 7 \\ - 100 + 30 + 5 \\ \hline 200 + 10 + 2 = 212 \end{array}$$

$$\begin{array}{r} 200 \quad 300 + 140 \\ - 100 + 50 + 7 \\ \hline 100 + 90 + 2 = 192 \end{array}$$

Pupils to move onto trying compact, standard method ready for Year 4 when secure with the above. **There is no need to do CP stages between the two abstract models;** make sure both abstract models are related to each other in teaching.





$$\begin{array}{r} 344 \\ - 213 \\ \hline 131 \end{array}$$

## Year 4





## Concrete

Pupils to use counters to practically experience subtracting.

$$4345 - 1212 = 3133$$

Thousands	Hundreds	Tens	Ones
			





$$4343 - 1214 = 3129$$

Thousands	Hundreds	Tens	Ones
			





## Pictorial

Pupils to draw counters crossing out for regrouping.

$$4345 - 1212 = 3133$$

Thousands	Hundreds	Tens	Ones
			

$$4343 - 1214 = 3129$$

Thousands	Hundreds	Tens	Ones
			

## Abstract

Use of column method to subtract up to two 4-digit numbers (begin without regrouping and progress to regrouping).

$$\begin{array}{r} 4345 \\ - 1212 \\ \hline 3133 \end{array}$$

$$\begin{array}{r} 43\overset{3}{\cancel{4}}\overset{1}{3} \\ - 1214 \\ \hline 3129 \end{array}$$

## Year 5

## Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

## Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

## Abstract

Use of column subtraction for numbers including millions before using for numbers with up to three decimal places.

$$\begin{array}{r}
 \overset{2}{\cancel{3}} \overset{13}{\cancel{4}} \overset{1}{1} \overset{8}{\cancel{9}} \overset{11}{\cancel{2}} \overset{1}{0} \\
 - \quad \quad 6 \quad 4 \quad 2 \quad 9 \quad 4 \\
 \hline
 2 \quad 7 \quad 7 \quad 6 \quad 2 \quad 6
 \end{array}$$

$$\begin{array}{r}
 \overset{2}{\cancel{3}} \overset{13}{\cancel{4}} \overset{1}{1} . \overset{8}{\cancel{9}} \overset{11}{\cancel{2}} \overset{1}{0} \\
 - \quad \quad 6 \quad 4 . \quad 2 \quad 9 \quad 4 \\
 \hline
 2 \quad 7 \quad 7 . \quad 6 \quad 2 \quad 6
 \end{array}$$



## Year 6

## Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

## Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

## Abstract

Use of column subtraction for numbers including millions before using for numbers with up to three decimal places.

$$\begin{array}{r}
 \overset{2}{\cancel{3}} \overset{13}{\cancel{4}} \overset{1}{1} \overset{8}{\cancel{9}} \overset{11}{\cancel{2}} \overset{1}{0} \\
 - \quad \quad 6 \quad 4 \quad 2 \quad 9 \quad 4 \\
 \hline
 2 \quad 7 \quad 7 \quad 6 \quad 2 \quad 6
 \end{array}$$

$$\begin{array}{r}
 \overset{2}{\cancel{3}} \overset{13}{\cancel{4}} \overset{1}{1} . \overset{8}{\cancel{9}} \overset{11}{\cancel{2}} \overset{1}{0} \\
 - \quad \quad 6 \quad 4 . \quad 2 \quad 9 \quad 4 \\
 \hline
 2 \quad 7 \quad 7 . \quad 6 \quad 2 \quad 6
 \end{array}$$




# Multiplication



## Reception

## Concrete

Children use physical resources to solve multiplication problems involving doubling.



*3 and 3 are parts of 6*

*3 and 3 are numbers inside 6*

*Double 3 is 6*



Avoid representations which will be remembered more than the mathematical content!

## Pictorial

Children use pictorial representations to represent the concrete resources used.

## Abstract


Children to work in concrete and pictorial phases only.

There is to be **no** reference to equations in EYFS – neither verbal or written.


## Year 1

## Concrete

In Year 1, children use concrete resources to solve multiplication problems. Children represent multiplication as repeated addition in many different ways. This should include physical, labelled number tracks ready for the pictorial phase.




One bag holds 5 apples.  
How many apples do 4 bags hold?




## Pictorial

Use pictorial arrays to build understanding of multiplication through counting the total in amounts in 2s, 10s and 5s..



Use a number line to jump in multiples of 2, 5 and 10 (repeated addition).



## Abstract

Use mathematical statements (number sentences) for repeated addition of 2, 5 or 10.

$$5 + 5 + 5 = 15$$

Introduce the multiplication symbol to replace repeated addition.


$$5 + 5 + 5 = 15$$

$$3 \times 5 = 15$$

## Year 2

## Concrete

Use a range of physical resources to practically experience repeated addition and multiplication.




Numicon number tracks used alongside cuisenaire rods are an excellent way to bridge towards the use of number lines for repeated addition.




## Pictorial

Make marks to create arrays show repeated addition of 2, 3, 5 or 10.



Use a number line to represent jumps in groups of 2, 3, 5 and 10 (counting on using repeated addition) where the number of jumps will equal the number of groups.



Children can progress to drawing their own number lines.

## Abstract

Write repeated addition sentences to match sets of objects or pictures.

$$5 + 5 + 5 + 5 = 20$$


Use the multiplication symbol to replace repeated addition.

$$7 \times 3 = 21$$

## Year 3


## Concrete

Create arrays using dienes and position these correctly on a grid (to introduce the grid method for 2-digit x 1-digit). Progress to use counters ready for Year 4.



## Pictorial

Use marks to represent Base10 on a multiplication grid method (2-digit x 1-digit) and likewise for counters.



## Abstract

Replace resources/marks with digits on an expanded grid.

x	20	9
6	20	9
	20	9
	20	9
	20	9
	20	9
	20	9

$120 + 54 = 174$

Move on to the grid method.


x	20	9
6	120	54

$120 + 54 = 174$

## Year 4


## Concrete

Pupils to use Base 10 to support multiplication.



## Pictorial

Pupils to create pictorial representations of Base 10 to support multiplication.



## Abstract

Introduce short multiplication as a formal written method for multiplying 2 or 3 digit numbers by 1 digit numbers using the expanded method to show the addition of two products.

$$\begin{array}{r} 324 \\ \times \quad 2 \\ \hline 648 \end{array}$$

$$\begin{array}{r} 2 \times 4 \\ 2 \times 20 \\ 2 \times 300 \end{array}$$

Progress to short multiplication for multiplying 3-digit by 1-digit numbers.

$$\begin{array}{r} 45 \\ \times \quad 6 \\ \hline 270 \end{array}$$

$$\begin{array}{r} 345 \\ \times \quad 6 \\ \hline 2070 \end{array}$$



## Year 5

### Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Abstract

Use of short multiplication for multiplying 4-digit by 1-digit numbers.

$$\begin{array}{r}
 3225 \\
 \times \quad 4 \\
 \hline
 12900 \\
 \phantom{12900}12
 \end{array}$$

Use of long multiplication for multiplying 4-digit by 2-digit numbers.

$$\begin{array}{r}
 1235 \\
 \times \quad 21 \\
 \hline
 1235 \\
 24700 \\
 \hline
 25935
 \end{array}$$

## Year 6

## Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

## Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

## Abstract

Consolidate use of short and long multiplication with integers from Year 5, before using for decimals with up to two decimal places.

$$\begin{array}{r}
 32.25 \\
 \times \quad 4 \\
 \hline
 129.00 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 123.5 \\
 \times \quad 21 \\
 \hline
 123.5 \\
 2470.0 \\
 \hline
 2593.5 \\
 \hline
 \end{array}$$



# Division




# Reception

## Concrete

Children solve division problems by **sharing** amounts into two equal groups to develop concept of halving. Children use concrete resources to solve problems.

There are eight apples shared equally between two bags. How many in each bag.



Children also solve problems by **grouping** and counting the number of groups.

Put these socks in pairs.



## Pictorial

Children use pictorial representations to represent the concrete resources used.

## Abstract


Children to work in concrete and pictorial phases only.

There is to be **no** reference to equations in EYFS – neither verbal or written.


## Year 1

## Concrete

Children solve division problems by **sharing** amounts into equal groups. Children use concrete resources to solve problems.




There are 20 apples altogether.  
They are shared equally between 5 bags.  
How many apples are in each bag?






$$20 \div 5 = 4$$

Children also solve problems by **grouping** and counting the number of groups. Grouping encourages children to count in multiples and links to repeated subtraction on a number line ready for Year 2.



There are 20 apples altogether.  
They are put in bags of 5.  
How many bags are there?





$$20 \div 5 = 4$$

## Pictorial

Children solve division problems by sharing amounts into equal groups. Children use pictorial representations to solve problems.

Half of 6 is 3



Avoid representations which will be remembered more than the mathematical content!

Children also solve problems by **grouping** and counting the number of groups using pictorial representations, including number lines ready for Year 2.



## Abstract

Introduce the division symbol to record sharing calculations.

$$20 \div 5 = 4$$


## Year 2

## Concrete

Use of concrete apparatus for sharing and grouping to continue.



$$18 \div 3 = 6$$




## Pictorial


Children make marks to show sharing between 2, 3, 5, or 10.



Children make marks to show division by grouping sets of 2, 3, 5, or 10.



Progress to use of a number line to represent jumps in groups of 2, 3, 5 and 10 (counting on using repeated addition) where the number of jumps will equal the number of groups.



## Abstract

Pupils to write their own division statements to record their calculations using the division and equals symbols..

$$18 \div 3 = 6$$

## Year 3

## Concrete


Use of concrete apparatus for sharing and grouping to continue.



When dividing larger numbers, children can use manipulatives that allow them to partition into tens and ones.


$$48 \div 2$$

Tens	Ones
10 10	1 1 1 1
10 10	1 1 1 1




## Pictorial


Pupils use marks to show grouping in 4s, 6s and 8s.



Use marks to show sharing in 4s, 6s and 8s.



Use a number line to represent jumps in groups of 2, 3, 4, 5, 6, 8 and 10 (counting on using repeated addition) where the number of jumps will equal the number of groups and the number left over is the remainder.



## Abstract

Use the division symbol to record calculations when dividing by 2, 3, 4, 5, 6, 8 and 10. Make explicit links between multiplication and division.

$$36 \div 3 = 12$$

$$36 \div 12 = 3$$

## Year 4

## Concrete


Children can continue to use grouping to support their understanding of short division when dividing a 2 or 3-digit number by a 1-digit number.

$$856 \div 4 = 214$$





## Pictorial

Use a number line to represent jumps in equal groups using all multiplication facts (as in year 3 – repeated addition) if required. This is consolidation and linking to Year 3.



Use a number line to count 'ten lots of' / 'ten groups of' and find remainders (chunking method). Progress to children choosing their own way of chunking using known multiplication facts.



## Abstract

Do not use the flexible strategy in White Rose for main written method – that can be used as a mental strategy.

Use of short division for dividing 2-digit and 3-digit numbers by 1-digit numbers (links to the number line work) with no remainders and then remainders.

Start by dividing 2-digit numbers by a 1-digit number with no regrouping or remainder.

$$4 \overline{) 48} \begin{array}{r} 12 \\ \underline{48} \\ 0 \end{array}$$

Progress to dividing 3-digit numbers by a 1-digit number with no regrouping or remainder.

$$4 \overline{) 488} \begin{array}{r} 122 \\ \underline{488} \\ 0 \end{array}$$

Move on to dividing 3-digit numbers by a 1-digit number with a remainder but no regrouping within.

$$4 \overline{) 489} \begin{array}{r} 122 \text{ r}1 \\ \underline{488} \\ 9 \end{array}$$

Finish on to dividing 3-digit numbers by a 1-digit number with a remainder and grouping within.

$$4 \overline{) 589} \begin{array}{r} 147 \text{ r}1 \\ \underline{588} \\ 9 \end{array}$$



## Year 5

### Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Abstract

Use short division for up to 4-digit numbers divided by a single digit including remainders .

Start with no remainder and no regrouping within.

$$\begin{array}{r} 1221 \\ 4 \overline{) 4884} \end{array}$$

Progress to no regrouping within but remainder at the end.

$$\begin{array}{r} 1221 \text{ r}1 \\ 4 \overline{) 4885} \end{array}$$

Move to regrouping within and remainder.

$$\begin{array}{r} 1246 \text{ r}1 \\ 4 \overline{) 49^18^25} \end{array}$$

**National Curriculum**

divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context

**Year 6****Concrete**

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

**Pictorial**

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

**Abstract**

Children need to be taught how to express remainders as decimals via short division in Year 6.

$$\begin{array}{r} 1246.25 \\ 4 \overline{) 4985.00} \end{array}$$



## Year 6

### Concrete

By Year 6 pupils should be competent with using the abstract method only. Use of the concrete stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Pictorial

By Year 6 pupils should be competent with using the abstract method only. Use of the pictorial stage from prior year groups can be used for intervention with pupils working below age-related expectations.

### Abstract

Move onto dividing 4-digit by 2-digit with no remainders using chunking.

Bank of multiples  
created first

$$4760 \div 56 = 85$$

$$\begin{array}{r} 56 \overline{) 4760} \\ - 4480 \\ \hline 280 \\ - 280 \\ \hline 000 \end{array}$$

80 × 56

5 × 56

1 × 56 = 56

2 × 56 = 112

4 × 56 = 224

8 × 56 = 448

5 × 56 = 280

Remind children that place value allows these to become 10/100 times larger

Underlined to show what is added to find the quotient

Progress to chunking with remainders.

Bank of multiples  
created first

$$4767 \div 56 = 85r7$$

$$\begin{array}{r} 56 \overline{) 4767} \\ - 4480 \\ \hline 287 \\ - 280 \\ \hline 007 \end{array}$$

80 × 56

5 × 56

1 × 56 = 56

2 × 56 = 112

4 × 56 = 224

8 × 56 = 448

5 × 56 = 280

Remind children that place value allows these to become 10/100 times larger

Underlined to show what is added to find the quotient

Anything left is the remainder

Look at efficiency and when short division can be used for 4-digit by 2-digit.

$$\begin{array}{r} 0 \quad 4 \quad 8 \quad 9 \\ 1 \quad 5 \overline{) 7 \quad 3 \quad 3 \quad 5} \end{array}$$

1 × 15 = 15

2 × 15 = 30

3 × 15 = 45

4 × 15 = 60

5 × 15 = 75

8 × 15 = 120

# Fractions



## Presentation of Fraction Notation

**Whole numbers:** vertically over two squares

**Fraction:** one digit per square with vinculum drawn horizontally between the numerator and denominator.

	2	1	
		4	

## Guidance Boxes

Deal with the wholes first and **avoid needless converting to improper fractions**

Some subtracting mixed number questions require breaking the whole using improper fractions – but only some. It is inefficient to ask children to use this process for addition and other subtraction questions just so they know the process for when it is needed – teach children the most efficient method for the question. This allows rich reasoning discussions about strategy choice.

**Avoid needless converting to improper fractions.**

Use the language of lowest common denominator and **avoid any use of cross multiplying.**

To find common denominators there, is an **inefficient** strategy known as cross multiplying where you multiply denominators to find common denominators. For example  $\frac{3}{8}$  and  $\frac{5}{6}$  have a common denominator of 48, however the lowest common denominator is 24. Using the smaller one is better maths (build links) but also more efficient as it leads to simpler, smaller calculations.


**Avoid all use of cross multiplying.**

# Converting Between Improper Fractions and Mixed Numbers

The most effective strategy for children to understand the concepts and structures behind converting between improper fractions and mixed numbers is bar modelling.

## Improper Fraction to Mixed Number


What is  $\frac{11}{5}$  expressed as a mixed number?



$$\frac{11}{5} = 2 \frac{1}{5}$$

## Mixed Number to Improper Fraction

What is  $3 \frac{2}{3}$  expressed as an improper fraction?




$$3 \frac{2}{3} = \frac{11}{3}$$

By Year UKS2, children who are secure with these pictorial methods, should progress to the formal, algorithm.

What is  $\frac{11}{5}$  expressed as a mixed number?

$$11 \div 5 = 2 \text{ r } 1 = 2 \frac{1}{5}$$

 Represent 11 in fifths to match  $11 \div 5$

 It left two wholes and 1 extra

What is  $3 \frac{2}{3}$  expressed as an improper fraction?

$$3 \times 3 + 2 = 11 = \frac{11}{3}$$

Again, introduce alongside the bar model at first.


 3 lots of 3 =  $3 \times 3 = 9$

 2 extra parts to add  $9 + 2 = 11$


# Fractions of Amounts

The most effective strategy for children to understand the concepts and structures behind fractions of amounts is through bar modelling. In this example, the question is what is  $\frac{4}{5}$  of 25?

**Step 1:** represent the amount and denominator as a bar model



**Step 4:** mark out the number of parts that are needed to match the numerator.



**Step 2:** represent the bar model as a division equation

$$25 \div 5 = 5$$

**Step 3:** populate the parts of the bar model with the quotient



**Step 5:** answer the question




$$\frac{4}{5} \text{ of } 25 = 4 \times 5 = 20$$

By Year UKS2, children who are secure with these pictorial methods, should progress to the formal, algorithm. Again, the example is what is  $\frac{4}{5}$  of 25?

$$\frac{4}{5} \text{ of } 25 =$$

$$25 \div 5 \times 4 = 20$$

To do this, introduce it alongside the bar model at first.




$$25 \div 5 \times 4 = 20$$


# Simplifying Fractions

The most effective strategy for children to simplifying fractions is to divide by the highest common factor (HCF). Not using the HCF leads to the need for further simplifying and more chance for errors.

Identify highest common factor (HCF) for division.

$$\frac{8 \div 4}{12 \div 4} = \frac{2}{3}$$


Without using HCF children will need to further simplify, for example:

$$\frac{8 \div 2}{12 \div 2} = \frac{4}{6} = \frac{4 \div 2}{6 \div 2} = \frac{2}{3}$$


This is not the simplest form and therefore further simplifying is needed, which adds more chance of errors.

# Common Denominators


The most effective strategy for children to find common denominators is to find the lowest common multiple (LCM). Strategies that include cross multiplying (right) are confusing, prone to error, leave larger equivalents to work with and **crucially will need unpicking and reteaching by secondary teachers**. **The advice of this guidance is that all cross multiplying is poor maths and should be avoided.**

Identify lowest common multiple (LCM) for division.

$$\begin{array}{r} 5 \times 4 \\ \hline 6 \times 4 \\ \hline 20 \\ \hline 24 \end{array} \quad \begin{array}{r} 3 \times 3 \\ \hline 8 \times 3 \\ \hline 9 \\ \hline 24 \end{array}$$



Not identifying the lowest common multiple (LCM) for division and cross multiplying (6 x 8) leads to larger equivalents and more chance for error.

$$\begin{array}{r} 5 \\ \hline 6 \end{array} \times \begin{array}{r} 3 \\ \hline 8 \end{array}$$
  
$$\begin{array}{r} 40 \\ \hline 48 \end{array} \quad \begin{array}{r} 18 \\ \hline 48 \end{array}$$


# Mathematical Manipulatives


In order for our children to fully understand the structures within calculation involving fractions, we use a set of key maths manipulatives to **expose** the maths.

We expect all of our children to progress to **doing** the maths **without** these resources, when secure.

## Numicon



$$4 \times \frac{3}{5} = 2 \frac{2}{5}$$




\*Mark/colour alternating holes.

## Fraction Cubes/Tower



$$1 \frac{2}{3} + \frac{2}{3} = 2 \frac{1}{3}$$



## Fraction Circles



$$1 - \frac{1}{8} = \frac{7}{8}$$





# Fractions: addition



## Year 3

## Concrete

Use of the following manipulatives in the same manner as pictorial phase:

- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



## Pictorial

Adding fractions with the same denominator within the whole.

$$\frac{2}{5} + \frac{2}{5} =$$

## Abstract

Adding fractions with the same denominator within the whole.

$$\frac{2}{5} + \frac{2}{5} = \frac{2+2}{5} = \frac{4}{5}$$

## Year 4

### Concrete

Use of the following manipulatives in the same manner as pictorial phase:

- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



### Pictorial

Adding fractions with the same denominator to the whole.

$$\frac{2}{5} + \frac{3}{5} =$$

### Abstract

Adding fractions with the same denominator to the whole.

$$\frac{2}{5} + \frac{3}{5} = \frac{2+3}{5} = \frac{5}{5} = 1$$

Adding fractions with the same denominator beyond the whole.

$$\frac{4}{5} + \frac{3}{5} =$$

Adding fractions with the same denominator beyond the whole.

$$\frac{4}{5} + \frac{3}{5} = \frac{4+3}{5} = \frac{7}{5} = 1 \frac{2}{5}$$

## Year 4

### Concrete

Use of the following manipulatives in the same manner as pictorial phase:


- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



### Pictorial

Adding a fraction to a mixed number with the same denominator.

$$2\frac{2}{5} + \frac{4}{5} =$$



### Abstract

Adding a fraction to a mixed number with the same denominator.

$$2\frac{2}{5} + \frac{4}{5} = 2\frac{2+4}{5} = 2\frac{6}{5} = 3\frac{1}{5}$$



## Year 5

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Adding fractions with denominators from the same multiple family.

Use the multiple family relationship to find common denominator

$$\frac{3}{4} + \frac{1}{8} = \frac{6}{8} + \frac{1}{8} = \frac{6+1}{8} = \frac{7}{8}$$

Maintain the fraction with the larger digit denominator

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

$$\frac{1}{4} + \frac{5}{12}$$

$$\frac{3}{12} + \frac{5}{12} = \frac{3+5}{12} = \frac{8}{12}$$



## Year 6

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Adding fractions with different denominators not bridging the whole.

$$\frac{1}{4} \times 3 + \frac{2}{6} \times 2$$

$$\frac{3}{12} + \frac{4}{12} = \frac{3+4}{12} = \frac{7}{12}$$

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

Adding fractions with different denominators bridging the whole.

$$\frac{3}{4} \times 3 + \frac{5}{6} \times 2$$

$$\frac{9}{12} + \frac{10}{12} = \frac{9+10}{12} = \frac{19}{12} = 1 \frac{7}{12}$$

Use the language of smallest common denominator and **avoid any use of cross multiplying.**



## Year 6

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Adding a mixed number and fraction with different denominators not bridging the whole.

$$1\frac{1}{4} + \frac{2}{6}$$

$$1\frac{3}{12} + \frac{4}{12} = 1\frac{3+4}{12} = 1\frac{7}{12}$$

Deal with the wholes first and **avoid needless converting to improper fractions**

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

Adding two mixed numbers with different denominators not bridging the whole.

$$2\frac{1}{4} + 1\frac{2}{6}$$

$$2\frac{3}{12} + 1\frac{4}{12} = 3\frac{3+4}{12} = 3\frac{7}{12}$$

Deal with the wholes first and **avoid needless converting to improper fractions**

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

## Year 6

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Adding a mixed number and fraction with different denominators bridging the whole.

$$2\frac{3}{4} + \frac{5}{6}$$

$$2\frac{9}{12} + \frac{10}{12} = 2\frac{9+10}{12} = 2\frac{19}{12} = 3\frac{7}{12}$$

Deal with the wholes first and **avoid needless converting to improper fractions**

Use the language of lowest common denominator and **avoid any use of cross multiplying.**

Adding two mixed numbers with different denominators bridging the whole.

$$2\frac{3}{4} + 1\frac{5}{6}$$

$$2\frac{9}{12} + 1\frac{10}{12} = 3\frac{9+10}{12} = 3\frac{19}{12} = 4\frac{7}{12}$$

Deal with the wholes first and **avoid needless converting to improper fractions**

Use the language of lowest common denominator and **avoid any use of cross multiplying.**



# Fractions: subtraction



## Year 3

## Concrete

Use of the following manipulatives in the same manner as pictorial phase:

- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



## Pictorial

Subtracting fractions with the same denominator within the whole.

$$\frac{4}{5} - \frac{1}{5} =$$

The pictorial representation shows a horizontal bar divided into five equal segments. The first four segments are shaded grey, representing 4/5. The fifth segment is white, representing 1/5. A diagonal line is drawn through the bar, starting from the top of the fourth segment and ending at the bottom of the fifth segment, indicating the subtraction of 1/5 from 4/5.

## Abstract

Subtracting fractions with the same denominator within the whole.

$$\frac{4}{5} - \frac{1}{5} = \frac{4-1}{5} = \frac{3}{5}$$

## Year 4

### Concrete

Use of the following manipulatives in the same manner as pictorial phase:

- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



### Pictorial

Subtracting fractions with the same denominator within the whole.

$$1 - \frac{3}{5} =$$

### Abstract

Subtracting fractions with the same denominator within the whole.

$$1 - \frac{3}{5} = \frac{5}{5} - \frac{3}{5} = \frac{5-3}{5} = \frac{2}{5}$$

Subtracting fractions from mixed numbers – no questions that involve breaking the whole.

$$2\frac{4}{5} - \frac{3}{5} =$$

Subtracting fractions from mixed numbers – no questions that involve breaking the whole.

$$2\frac{4}{5} - \frac{3}{5} = 2\frac{4-3}{5} = 2\frac{1}{5}$$

Deal with the wholes first and avoid needless converting to improper fractions

## Year 5

## Concrete

Use of the following manipulatives in the same manner as pictorial phase:


- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



## Pictorial


Subtracting a fraction from a mixed number with the same denominator.

$$2\frac{4}{5} - \frac{2}{5} =$$



Subtracting a fraction from a mixed number with the same denominator – breaking the whole.

$$2\frac{2}{5} - \frac{4}{5} =$$



## Abstract

Subtracting a fraction from a mixed number with the same denominator – not breaking the whole.

$$2\frac{4}{5} - \frac{2}{5} = 2\frac{4-2}{5} = 2\frac{2}{5}$$

Subtracting a fraction from a mixed number with the same denominator – breaking the whole.

$$\begin{aligned} 2\frac{2}{5} - \frac{4}{5} \\ = \frac{12}{5} - \frac{4}{5} = \frac{12-4}{5} = \frac{8}{5} = 1\frac{3}{5} \end{aligned}$$

## Year 5

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Subtracting fractions with denominators from the same multiple family.

$$\frac{3}{4} - \frac{3}{8} = \frac{6}{8} - \frac{3}{8} = \frac{6-3}{8} = \frac{3}{8}$$

Use the multiple family relationship to find common denominator

Maintain the fraction with the larger digit denominator

Use the language of lowest common denominator and **avoid any use of cross multiplying.**

The same either way around...

Same for relationships beyond doubles..

$$\frac{11}{12} - \frac{3}{4} = \frac{11}{12} - \frac{9}{12} = \frac{11-9}{12} = \frac{2}{12}$$

Maintain the fraction with the larger digit denominator

Use the multiple family relationship to find common denominator

$$\frac{7}{8} - \frac{3}{4} = \frac{7}{8} - \frac{6}{8} = \frac{7-6}{8} = \frac{1}{8}$$

Maintain the fraction with the larger digit denominator

Use the multiple family relationship to find common denominator



## Year 6

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Subtracting fractions with different denominators.

$$\frac{3}{4} - \frac{1}{6}$$

$$\frac{9}{12} - \frac{2}{12} = \frac{9-2}{12} = \frac{7}{12}$$

$$\frac{5}{6} - \frac{3}{8}$$

$$\frac{20}{24} - \frac{9}{24} = \frac{20-9}{24} = \frac{11}{24}$$

Use the language of lowest common denominator and **avoid any use of cross multiplying.**



## Year 6

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Subtracting a fraction from a mixed number with different denominators not breaking the whole.

$$1\frac{3}{4} - \frac{1}{6}$$

$$1\frac{9}{12} - \frac{2}{12} = 1\frac{9-2}{12} = 1\frac{7}{12}$$

Deal with the wholes first and **avoid needless converting to improper fractions**

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

Subtracting a mixed number from a mixed number with different denominators not breaking the whole.

$$2\frac{3}{4} - 1\frac{1}{6}$$

$$2\frac{9}{12} - 1\frac{2}{12} = 1\frac{9-2}{12} = 1\frac{7}{12}$$

Deal with the wholes first and **avoid needless converting to improper fractions**

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

## Year 6

## Concrete

## Pictorial

## Abstract

Concrete resources do not provide sensible support for this stage.

Concrete resources do not provide sensible support for this stage.

Subtracting a fraction from a mixed number with different denominators breaking the whole.

$$2 \frac{3}{4} - \frac{5}{6}$$

Exchange an integer whole for a fractional whole and add numerators

$$1 \cancel{2} \frac{12+9}{12} - \frac{10}{12}$$

Use multiplication to find common denominator using LCM

$$1 \frac{21}{12} - \frac{10}{12} = 1 \frac{11}{12}$$

Use the language of smallest common denominator and **avoid any use of cross multiplying.**

Subtracting a mixed number from a mixed number with different denominators breaking the whole.

$$4 \frac{3}{4} - 2 \frac{5}{6}$$

Exchange an integer whole for a fractional whole and add numerators

$$1 \cancel{2} \frac{12+9}{12} - \frac{10}{12}$$

Use multiplication to find common denominator using LCM

$$1 \frac{21}{12} - \frac{10}{12} = 1 \frac{11}{12}$$

Use the language of smallest common denominator and **avoid any use of cross multiplying.**



# Fractions: multiplication



## Year 5

## Concrete

Use of the following manipulatives in the same manner as pictorial phase:

- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



## Pictorial

Fraction multiplied by whole number not bridging 1 whole.

$$2 \times \frac{2}{5} = \begin{array}{|c|c|c|c|c|} \hline \text{grey} & \text{grey} & \text{orange} & \text{orange} & \text{white} \\ \hline \end{array}$$

Fraction multiplied by whole number bridging 1 whole.

$$4 \times \frac{2}{5} = \begin{array}{|c|c|c|c|c|} \hline \text{grey} & \text{grey} & \text{orange} & \text{orange} & \text{grey} \\ \hline \end{array} \begin{array}{|c|c|c|c|c|} \hline \text{grey} & \text{orange} & \text{orange} & \text{white} & \text{white} \\ \hline \end{array}$$

## Abstract

Fraction multiplied by whole number not bridging 1 whole.

$$2 \times \frac{2}{5} = \frac{2 \times 2}{5} = \frac{4}{5}$$

Fraction multiplied by whole number bridging 1 whole.

$$4 \times \frac{2}{5} = \frac{4 \times 2}{5} = \frac{8}{5} = 1 \frac{3}{5}$$

## Year 5

## Concrete

Use of the following manipulatives in the same manner as pictorial phase:

- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)



When multiplying fractions by large amounts (for example  $260 \times \frac{3}{4}$ ) use fractions of amounts strategies.

## Pictorial

Mixed Number multiplied by whole number not bridging 1 whole.


$$2 \times 2\frac{2}{5} =$$



$$= 4\frac{4}{5}$$

Mixed Number multiplied by whole number bridging 1 whole.

$$4 \times 2\frac{2}{5} =$$



$$= 8\frac{8}{5} = 9\frac{3}{5}$$

## Abstract

Mixed Number multiplied by whole number not bridging 1 whole.

$$2 \times 2\frac{2}{5} =$$

$$4\frac{2 \times 2}{5} = \frac{4}{5} = 4\frac{4}{5}$$

Mixed Number multiplied by whole number bridging 1 whole.

$$4 \times 2\frac{2}{5} = 8\frac{4 \times 2}{5} = 8\frac{8}{5} = 9\frac{3}{5}$$

## Year 6


## Concrete

Concrete resources do not provide sensible support for this stage.


## Pictorial

Proper fraction multiplied by proper fraction.


$$\frac{3}{4} \times \frac{2}{3} =$$



Represent the multiplier vertically.



Draw horizontal lines to represent the multiplicand and colour.



Any parts coloured both ways form the factor.

$$= \frac{6}{12} = \frac{1}{2}$$

## Abstract

Proper fraction multiplied by proper fraction.

$$\frac{3}{4} \times \frac{2}{3} = \frac{3 \times 2}{4 \times 3} = \frac{6}{12} = \frac{1}{2}$$

# Fractions: division




## Year 6

## Concrete

Use of the following manipulatives in the same manner as pictorial phase:


- Fraction cubes/towers
- Fraction Circles
- Numicon (choose the piece matching the denominator and colour alternating holes to match the numerator)




## Pictorial

When numerator and divisor match or are from the same multiple family, divide numerator by divisor.

$$\frac{4}{5} \div 4$$



$$\frac{8}{9} \div 4$$



## Abstract


When numerator and divisor match or are from the same multiple family, divide numerator by divisor.

$$\frac{4}{5} \div 4 = \frac{4 \div 4}{5} = \frac{1}{5}$$

$$\frac{8}{9} \div 4 = \frac{8 \div 4}{9} = \frac{2}{9}$$


Concrete resources do not provide sensible support for this stage.

When numerator and divisor do not match or are not from the same multiple family, use overlays.



Represent the fraction vertically.

$$\frac{4}{5} \div 3 =$$



Represent division by the whole horizontally (the whole is how many times to divide it horizontally).

The quotient is one row of the division (if dividing by 3 you would get one row out of 3).

$$= \frac{4}{15}$$

When numerator and divisor do not match or are not from the same multiple family, use formal inverse procedure.

$$\frac{4}{5} \div 3 =$$

$$\frac{4}{5} \div \frac{3}{1} = \frac{4}{5} \times \frac{1}{3} = \frac{4}{15}$$

# Acknowledgements

## Resources Used

- White Rose Calculation Policy
- Captain Cook Primary School Calculation Policy
- NPCAT Calculation Policy
- Purposeful Maths Calculation Policy
- LET EYFS Ready Documents
- Power Maths Calculation Policy

## Many thanks to the following contributors

K Yates (Hurworth), P Mayes (Corporation Road), P Foulds (Lingfield Education Trust), C Harrison (Captain Cook), A Poulter (Vane Road), S Guest (Cambrai), R Farrier (Handale), R Carass (Heathfield), S West (Woodham Burn), D Docherty (Marton Manor), Emma Bould (Viewley Hill), Joanne Knox (Hemlington Hall), C Dyer (Mount Pleasant)

